

## E800 | E1200 | E1500 U1250 | U1650 | U2150

The revolutionary sweeper-mower combination

# kugelmann\*

## QUALITÄT MADE IN GERMANY

The high-quality products of kugelmann are manufactured in Rettenbach am Auerberg, a village embedded into the foothills of the Alps, not far from famous Neuschwanstein Castle.

We are constantly looking for the best. We are firmly focused on the future. And we promise to passionately use our know-how in innovative engineering and our demand for perfect workmanship. Until the last detail is perfect. Until the finishing touch makes a machine a unique one: a kugelmann machine.

Sepp Kugelmann





# E800 | E1200 | E1500



## CONSEQUENTLY ASYMMETRIC

Good sweepers are special vehicles; until now, adaptive devices have never been as good as the specialists. But these are different: E 800 | E 1200 | E 1500: The presumed disadvantage of the lateral suction hose not fully integrated becomes a significant advantage. Only the resulting good accessibility allows the simultaneous use of the suction hose as a high-performing manual suction. The front consisting of brush and aerodynamically optimized suction mouth is designed consequently asymmetric as waste lies mostly at the right-hand side of the road. The simple and intuitive control system is integrated at the available vehicle joystick.

The E 800 | E 1200 | E 1500 series received the Red Dot Design Award 2017 and the iF Design Award 2017, two of the most prestigious product design awards.





reddot award 2017 winner





# U1250 | U1650 | U2150

## COMPLETE MOWER

Sod

# Multihog

1

More than just a sweeper. With the bigger universal container U1250 | U1650 | U2150, the sweeper becomes a complete mower "in a glance", which fills its container almost dust-free up to the top edge.


Changing from sweeping to mowing is executed very simple and fast - only the mowing unit is changed; suction section and rear with tank remain unchanged.

The rotary mower with its blockage-free upper suction is available in widths of 150 cm to 220 cm. Mowing close to the border is a matter of course for us.



## SWEEPING WHERE THE WASTE IS -AT THE RIGHT-HAND SIDE OF THE ROAD

The front consisting of brush and aerodynamically optimized suction mouth is designed consequently asymmetric as waste lies mostly at the right-hand side of the road.



(P

kugelmann\*


11175 7

ASYMMETRIC FRONT BRUSH

The shortest way for waste

PL





# THE STRONGEST MANUAL SUCTION ON THE MARKET.

The presumed disadvantage of the not fully integrated lateral suction hose becomes a significant advantage. Only the resulting good accessibility allows the simultaneous use of the suction hose as a high-performing manual suction.









Emptying of waste bins

Suction of heaps of leaves

Cleaning of gullies







### FULLY-INTEGRATED **HIGH-PRESSURE CLEANER**

As an option, a high-pressure cleaner can be mounted fully integrated at the right-hand side cover. Thus, all cleaning duties can be carried out and plants can be watered. The radius of movement is very large thanks to the 11m long hose.

















## COMFORTABLE AND HIGHLY EFFICIENT MANHOLE CLEANING

Cleaning manholes has never been so convenient for one single person. The "elbow" allows a boom with flexible reach which ensures that lifting of manhole covers is ergonomic, efficient and user-friendly. This all-round solution is firmly attached to the container and always ready to use. In combination with the manual suction and the high-pressure cleaner, the lifting equipment is a complete package for manhole cleaning done by one person. The system can be flexibly supplemented by simple fitting at any time. Thanks to the hand wire rope, no hydraulic or electric system is necessary. With this effective and easyto-operate combination, kugelmann presents a conclusive solution.






For all cleaning duties



Cleaning of gullies








Even wider sweeping area with the third brush, even on two Simple and uncomplicated fitting. An integrated quick coupling levels - to the left or right! The third brush allows more flexible plate for hydraulic system and water allows easy mounting and sweeping possibilities. With the third brush, a realistic sweeping automatic locking of the third brush. The complete fitting and width of 2.5m can be achieved. The disc brush (diameter 700 removal is done in less than two minutes by means of the mobile tripod. Intuitive operation. Operation is completely identical to mm) is optimally equipped with collision protection, single speed control and infinite hydraulic release. The automatic identification operation with two-brush-device. of the third brush is absolutely practical and convenient. Sweeping parking spots with two brushes or sweeping a step Users do not need to adapt to a new system. The proven setting of with the third brush - the control system automatically offers the brush speed and brush relief remains the same as with the twocorrect function. Flexible supplement to two-brush system. Each brush system. Convenient switching to the other side Regardless two-brush system can be supplemented with a third brush in a of whether the brush sweeps in right-hand or left-hand direction, simple and comfortable way. This also applies to all previously the side changes automatically by the push of a button and supplied systems. so does the rotation of the brush. Also the sweeping area is optimally adjusted automatically with the patented.







3R

kugelmanni

31

2F

# SIMPLE AND INTUITIVE CONTROL



**SPEED | RELEASE BRUSH** 3rd brush kugelm SPEED **RELEASE BRUSH MOUNTED WITHIN REACH** 

rh brush

### MAXIMUM EASE OF MAINTENANCE. GOOD ACCESSIBILITY = SIMPLE AND SAFE CLEANING.

#### THREE SERIES WASTE CONTAINER E 800 | E 1200 | E 1500 THREE SERIES UNIVERSAL CONTAINER U1250 | U1650 | U2150



#### **ENDLESS OPTIONS**

- 3rd brush manhole cover lifter Weed eradication Fully-integrated manual suction Leaf rake High-pressure cleaner Stand legs Flasher/marking Camera
  - Rear view camera
  - Suction mouth camera
  - Split screen monitor
- Holding device for shovel and broom Front-mounted rotary mower (150-220cm working width)

#### MANUAL SUCTION

#### (optional)

water consumption

volume 215 litres

Additional waste water pump,

Fully integrated incl. water spraying system and collapsible pipe without blockage

#### **HIGH-PRESSURE CLEANER**

- (optional)
- Fully integrated for all cleaning and watering tasks









#### MANHOLE COVER LIFTER

#### (optional)

Ergonomic attachment High-quality crank for effortless lifting Maximum flexibility with universal lifting tackle Retrofittable at any time

#### **3RD BRUSH**

(optional)

Fitting and removal in one minute Retrofittable at any time Intuitive operation (as with 2 brushes) Automatic adjustment of sweeping







#### SIMPLE AND INTUITIVE CONTROL SYSTEM

comprehensive machine feedback at operating device (hopper, suction section, blower)

#### **COMPLETE MOWER**

More than just a sweeper. The E 800 | E 1200 | E 1500 is equipped with a rotary mower (1.65 m working width), a complete mower. Changing from sweeping to mowing is very simple and fast (5 min.);

only the mowing unit is changed; suction section and rear with tank remain unchanged.

#### CONSEQUENTLY ASYMMETRIC FRONT BRUSH SYSTEM

Adjustable two-brush system Hydraulic, stepless brush pressure adjustment (adjustable from cabin) Stepless single brush speed setting Fast, tool-less fitting and removal Integrated collision protection for disc brush Wide-angle mirror for suction mouth monitoring Patented lateral hose system

#### INFINITELY VARIABLE WATER JETS

Fitted visible at the disc brushes

#### MAXIMUM SAFETY


Safe access to suction mouth and suction section Operator not exposed to danger no need to be present in the danger zone under the machine


#### SUCTION MOUTH WITH COARSE DIRT FLAP

Automatic and hydraulically adjustable coarse dirt flap working clearance can be set without tooling aerodynamically optimized suction mouth

#### \*with E800 | E1200 | E1500

## **Exx / Uxx** TECHNICAL DATA





ТҮРЕ	E800	U1250	E1200	U1650	E1500	U2150
Capacity of hopper, gross [l]	abt. 1200	abt. 1600	abt. 1600	abt. 2000	abt. 2000	abt. 2500
Capacity of hopper, net [l]	800	1230	1150	1660	1450	2160
Loading length LA [mm]	1335	1335	1735	1735	2035	2035
Width of hopper <b>B</b> [mm]	1150	1400	1150	1400	1150	1400
Total height <b>H</b> [mm]	1100	1200	1100	1200	1100	1200
Total length L [mm]	1820	1850	2220	2250	2520	2250
Dumping height <b>A</b> [mm]	700	600	700	600	700	600
Capacity of water tank (fresh water / service water) [l]	215+140	215	215+220	215	215+280	215
Empty weight blower with container [kg]	440	540	530	640	600	700
max power requirement blower (Qma=45l/min) [kW]	8	8	8	8	8	8
Sound pressure level [dB]	max. 78					



## **MACHINES THAT IMPRESS**

With passion, we manufacture reliable and pioneering machines - we love what we do.



D 301 | D 601 The new generation of one-chamber three-point spreaders by kugelmann: A real milestone.



L 411 – L 1551 Three-point spreader series with self-loading function: revolutionary thanks to the pivoting hopper



D 352 - 2302 Two-chamber three-point spreader: the absolute multi-talent



A 201 – A 1501

The new one-chamber truck-mounted spreader by kugelmann: revolutionary and trend-s etting - a real innovation on the

Ľ



A DUPLEX kugelmann two-chamber truck-mounted spreaders: established and proven reliable for decades.



SCHNEERÄUMSCHILDER Smooth snow clearing: kugelmann snow ploughs stand for clean snow removal without damaging roads and tracks.



E 800 | E 1200 | E 1500 The kugelmann sweeping suction combination: reliable, simple and extremely effective.



U1250 | U 1650 | U 2150 In no time, our universal container changes from a sweeper to a complete mower.



FA xx The FA XXX combines water tank, watering system and brine spreader in one. A flexible partner for summer and winter.



kugelmann\* PERSONAL PROPERTY. 10

kugelmann Maschinenbau e.K. Gewerbepark 1-5 87675 Rettenbach a.A. GERMANY

+49 (0) 8860 | 9190-0

office@kugelmann.com www.kugelmann.com

#### \*

kugelmann Maschinenbau is a family-run Allgäu business with its main emphasis and tradition in municipal technology. With passion, we manufacture reliable and pioneering machines - we love what we do.